



Shri Vitthalrao Joshi Charities T's  
**SAMARTH NURSING COLLEGE**

ISO 9001 : 2015 Certified  
Kasarwadi, Post Sawarde, Tal. - Chiplun, Dist. - Ratnagiri 415 606  
Phone : 02355-264149/137 Fax : 02355-264181

Email : suedervan@gmail.com  
Website : www.svjtsamarthnursing.com

(Recognised by Indian Nursing Council, Maharashtra Nursing Council & Maharashtra University of Health Sciences, Nashik and MSBNPE Board, Mumbai)

**FORMAT FOR NC RECORDING**

| Sr. No | Date       | NC Description   | Recorded BY | Action Taken                    | Corrective Date & Signature |
|--------|------------|--|-------------|---------------------------------|-----------------------------|
| 19     | 28/11/2022 | OFFICE CPU Repairing   | Sharnali    | IT Dept - Rushikesh             | Work done                   |
| 20     | 24/11/2022 | Switch board tubed (Salt Pot) in Principal Room   in (ceiling) | Sharnali    | Maintenence - Rushikesh         | Work done                   |
| 21     | 24/11/2022 | Hub, OFFICE ROOM, FIRE ALARM PASSAGE                           | Sharnali    | Maint - Rushikesh               | Work done                   |
| 22     | 24/12/2022 | OFFICE CPU Repairing   | Sharnali    | IT Dept - Rushikesh             | Work done                   |
| 23     | 24/12/2022 | Windows Repairing work in Principal OFFICE PARCEL              | Sharnali    | Maint - Patel                   | Work done                   |
| 24     | 31/11/2023 | Electric connection for computer lab work                      | Sharnali    | Maint - Mahajan Sir informed to | Pending                     |

Principal  
Samarth Nursing College  
MEDICAL DIRECTOR  
Kasarwadi, Sawarde,  
Tal. Chiplun, Dist. Ratnagiri 415606



# SAMARATH NURSING COLLEGE

ISO 9001 : 2015 Certified  
 Kasarwadi, Post Sawarde, Tal. - Chiplun, Dist. - Ratnagiri 415 606  
 Phone : 02355-264149/137 Fax : 02355-264181  
 Email : sncdervan@gmail.com  
 Website : www.svjctsamarathnursing.com

(Recognised by Indian Nursing Council, Maharashtra Nursing Council & Maharashtra University of Health Sciences, Nashik and MSBNPE Board, Mumbai)

## FORMAT FOR NC RECORDING

| Sr. No | Date      | NC Description  | Recorded BY | Action Taken        | Corrective Date & Signature |
|--------|-----------|---|-------------|---------------------|-----------------------------|
| 25     | 22/2/2023 | Phone not working (Extension) vice principal                  | Sharnal     | Mahajan Sir         |                             |
| 26     | 20/2/2023 | (Carabin clip) Pitting (Individual) Watch repairing (Sharnal) | Sharnal     | Central store       | Work done <u>Sharnal</u>    |
| 27     | 24/2/2023 | Charger (mobile tab) change                                   | Sharnal     | Central store       |                             |
| 28     | 14/3/2023 | Medicine (poly) not available                                 | Sharnal     | IT Dept - Syne      |                             |
| 29     | 18/3/2023 | Filting waste (Pic-Bios) charr BVPDare 30th Dec               | Sharnal     | Mahajan Sir (Sutar) | Work done <u>Sharnal</u>    |
| 30     | 14/3/2023 | Paigars <u>Sharnal</u>  | Sharnal     | Central store       |                             |

Principal  
 Samarath Nursing College  
 MEDICAL DIRECTOR  
 Kasarwadi, Sawarde,  
 Tal. Chiplun, Dist. Ratnagiri 415606



Shri Vithalrao Joshi Charities Trust  
**SAMARTH NURSING COLLEGE**  
 ISO 9001 : 2015 Certified  
 Kasarwadi, Post Sawarde, Tal. - Chiplun, Dist. - Ratnagiri 415 606  
 Phone : 02355-264149/137 Fax : 02355-264181  
 Email : [snedervan@gmail.com](mailto:snedervan@gmail.com)  
 Website : [www.svjctsamarthnursing.com](http://www.svjctsamarthnursing.com)

(Recognised by Indian Nursing Council, Maharashtra Nursing Council & Maharashtra University of Health Sciences, Nashik and MSBNPE Board, Mumbai)

### FORMAT FOR NC RECORDING

| Sr. No | Date      | NC Description   | Recorded BY | Action Taken             | Corrective Date & Signature                   |
|--------|-----------|--|-------------|--------------------------|---|
| 31     | 3/4/2023  | Mobile Tab & charger                                     | Amol        | Central Store            | <i>[Signature]</i><br>Jit Phavole             |
| 32     | 8/6/2023  | Conference Room - Projector Box & OBGY Lab - Curtain Rod | Amol        | Maintenance - Rajeshirke | <i>[Signature]</i><br>Rajeshirke              |
| 33     | 12/7/2023 | Colour Work  | Amol        | Maintenance - Rajeshirke | <i>[Signature]</i><br>Rajeshirke              |
| 34     | 18/7/2023 | Printer Repairing  | Amol        | IT Dept.                 | Repair printer<br><i>[Signature]</i><br>Roshy |
| 35     | 22/7/2023 | Old Switch Board changed                                 | Amol        | Maintenance - Rajeshirke | <i>[Signature]</i><br>Rajeshirke              |
| 36     | 17/8/2023 | Toner Repairing  | Amol        | IT Dept.                 | Replaced toner<br><i>[Signature]</i><br>Roshy |

*[Signature]*  
BR

**MEDICAL DIRECTOR**  
 Samarth Nursing College  
 Kasarwadi, Sawarde,  
 Tal: Chiplun, Dist. Ratnagiri 415606



**SAMARTH NURSING COLLEGE**  
 ISO 9001 : 2015 Certified  
 Kasarwadi, Post Sawarde, Tal. - Chiplun, Dist. - Ratnagiri 415 606  
 Phone : 02355-264149/137 Fax : 02355-264181  
 Email : sncdervan@gmail.com  
 Website : www.svjcsamarthnursing.com

(Recognised by Indian Nursing Council, Maharashtra Nursing Council & Maharashtra University of Health Sciences, Nashik and MSBNPE Board, Mumbai)

**FORMAT FOR NC RECORDING**

| Sr. No | Date       | NC Description  | Recorded BY | Action Taken | Corrective Date & Signature |
|--------|------------|---|-------------|--------------|-----------------------------|
| 37     | 20/8/2023  | CPV & UPS Repairing                                   | Amol        | IT Dept.     | Checked & repaired<br>Pashu |
| 38     | 27/10/2023 | Class Room No. 6 - CCTV Camera Submitted in IT office | Amol        | IT Dept.     | Received & checked<br>Pashu |
|        |            |   |             |              |                             |
|        |            |   |             |              |                             |
|        |            |   |             |              |                             |
|        |            |   |             |              |                             |
|        |            |   |             |              |                             |
|        |            |   |             |              |                             |
|        |            |   |             |              |                             |
|        |            |   |             |              |                             |
|        |            |   |             |              |                             |

Principal  
**SARVESH PIRAJI**  
 Kasarwadi, Sawarde,  
 Tal. Chiplun, Dist. Ratnagiri 415606



Shri Vitthalrao Joshi Charities Trust  
**SAMARTH NURSING COLLEGE**  
 ISO 9001 : 2015 Certified  
 Kasarwadi, Post Sawarde, Tal. - Chiplun, Dist. - Ratnagiri 415 606  
 Phone : 02355-264149/137 Fax : 02355-264181  
 Email : sncdervan@gmail.com  
 Website : www.svjctsamarthnursing.com

(Recognised by Indian Nursing Council, Maharashtra Nursing Council & Maharashtra University of Health Sciences, Nashik and MSBNPE Board, Mumbai)

**FORMAT FOR NC RECORDING**

| Sr. No | Date       | NC Description                                 | Recorded BY | Action Taken              | Corrective Date & Signature |
|--------|------------|--|-------------|---------------------------|-----------------------------|
| 39     | 19/11/2023 | Remote not working<br>Class- 1/2 (Projector)   | Amol        | IT Dept. - Siddhesh Satam | cheng femate<br>Pudhu       |
| 40     | 20/11/2023 | Class 3 & 6 Fan Not Working                    | Amol        | Maintenance- Rajeshirke   | Mishra                      |
| 41     | 20/11/2023 | Strong Room Fan Not Working                    | Amol        | Maintenance- Rajeshirke   | Mishra                      |
| 42     | 20/11/2023 | Strong Room Tube light Not Working             | Amol        | Maintenance- Rajeshirke   | Mishra                      |
| 43     | 21/11/2023 | Ladies Washroom Tap Not Working (2)            | Amol        | Maintenance- Rajeshirke   | Mishra                      |
| 44     | 21/11/2023 | 1 <sup>st</sup> Floor Passage Tube Not Working | Amol        | Maintenance- Rajeshirke   | Mishra                      |
| PRH    |            |  |             |                           |                             |

**MEDICAL DIRECTOR**  
 Samarth Nursing College  
 Kasarwadi, Sawarde,  
 Tal. Chiplun, Dist. Ratnagiri 415606



Shri Vithalrao Joshi Charities Trust  
**SAMARTH NURSING COLLEGE**  
 ISO 9001 : 2015 Certified  
 Kasarwadi, Post Sawarde, Tal. - Chiplun, Dist. - Ratnagiri 415 606  
 Phone : 02355-264149/137 Fax : 02355-264181  
 Email : [sncdervan@gmail.com](mailto:sncdervan@gmail.com)  
 Website : [www.svjctsamarthnursing.com](http://www.svjctsamarthnursing.com)

(Recognised by Indian Nursing Council, Maharashtra Nursing Council & Maharashtra University of Health Sciences, Nashik and MSBNPE Board, Mumbai)

### FORMAT FOR NC RECORDING

| Sr. No | Date       | NC Description   | Recorded BY | Action Taken             | Corrective Date & Signature                    |
|--------|------------|--|-------------|--------------------------|--|
| 45     | 29/11/2023 | Library Land Line phone Not Working                        | Amol        | Maintenance - Rajeshirke | <u>D. Shirsalkar</u>                           |
| 46     | 2/12/2023  | Conference Hall Fan slow                                   | Amol        | Maintenance - Rajeshirke | <u>D. Shirsalkar</u>                           |
| 47     | 2/12/2023  | Female Common Room Tubelight / Fan                         | Amol        | Maintenance - Rajeshirke | <u>D. Shirsalkar</u>                           |
| 48     | 4/12/2023  | Office Room (1 Computer)                                   | Amol        | IT Dept.                 | <u>D. Shirsalkar</u> <sup>Reporting done</sup> |
| 49     | 7/12/2023  | Computer Lab PC No. 20, PC No. 22, PC No. 23 (Not working) | Amol        | IT Dept.                 | <u>D. Shirsalkar</u> <sup>Reporting Done</sup> |
| 50     | 8/12/2023  | Library (Tube light Not working)                           | Amol        | Maintenance - Rajeshirke | <u>D. Shirsalkar</u>                           |

**BRM**

**Principal**  
**MEDICAL DIRECTOR**  
 Samarth Nursing College  
 Kasarwadi, Sawarde,  
 Tal. Chiplun, Dist. Ratnagiri 415606



**SARATH NURSING COLLEGE**  
 ISO 9001 : 2015 Certified  
 Kasarwadi, Post Sawarde, Tal. - Chiplun, Dist. - Ratnagiri 415 606  
 Phone : 02355-264149/137 Fax : 02355-264181  
 Email : [sncderyan@gmail.com](mailto:sncderyan@gmail.com)  
 Website : [www.svjctsamarthnursing.com](http://www.svjctsamarthnursing.com)

Smt. Vithalrao Joshi Charities Trust

(Recognised by Indian Nursing Council, Maharashtra Nursing Council & Maharashtra University of Health Sciences, Nashik and MSBNPE Board, Mumbai)

### FORMAT FOR NC RECORDING

| Sr. No | Date      | NC Description                           | Recorded BY | Action Taken             | Corrective Date & Signature           |
|--------|-----------|--|-------------|--------------------------|---------------------------------------|
| 51     | 12/2/2024 | Faculty Room - TabeLight Not Working     | Amol        | Maintenance - Rajeshinke | Asmit Jadhav<br>12-02-24<br>Work Done |
| 52     | 14/2/2024 | Bench Repairing Class 2, 4, 7, 9, 10, 11 | Amol        | Maintenance - Rajeshinke | Work Done<br>Asmit                    |
|        |           |  |             |                          |                                       |
|        |           |  |             |                          |                                       |
|        |           |  |             |                          |                                       |
|        |           |  |             |                          |                                       |
|        |           |  |             |                          |                                       |

*S. Jadhav*  
 MEDICAL DIRECTOR  
 Samarth Nursing College  
 Kasarwadi, Sawarde,  
 Tal. Chiplun, Dist. Ratnagiri 415606